



XIN JI DA PTE LTD

THE ONE-STOP SOLUTION PROVIDER

Connecting The World With Endless Possibilities



RUBBER INGREDIENTS | INDUSTRIAL CHEMICALS | WIRE & FABRIC REINFORCEMENT | LUBRICANT ADDITIVES
INDUSTRIAL WHEELS & RIMS | AERIAL PLATFORM WHEELS | RUBBER TRACK & COMPONENTS |
TYRE MACHINERY & MOULD

Address: 1 Pemimpin Drive, #12-02 Singapore 576151 Phone: +65 6223 3828 Fax: +65 6659 7789
Email: info@xinjida.com.sg Website: www.xinjida.com.sg





WHO WE ARE

Founded in 1993 and headquartered in the vibrant city of Singapore, XIN JI DA GROUP has emerged as a dynamic and influential force across a diverse spectrum of industries. With a legacy of nearly three decades, we've been at the forefront of innovation and progress, consistently raising the bar for excellence in our endeavours. Currently, we are established in five distinct business sectors:

- Industrial Chemicals
- Rubber Ingredients
- Wire and Fabric Reinforcement Materials
- Commercial and Industrial Wheels
- Rubber Track and Components

OUR MISSION

To deliver customer-centric excellence as a world-class manufacturer and supply chain manager. With an unwavering commitment to quality, innovation, and collaboration, we strive to exceed customer expectations at every step.

OUR VISION

Our vision is to emerge as a leading global one-stop solution provider through our unwavering dedication to innovation, sustainability, and collaboration to unlock limitless potential and redefine industry standards.




XIN JI DA

The One-Stop Rubber Chemicals Provider

XINJIDA TO FIT YOUR NEEDS

Market And Applications



Ground Support & Aerial Platform Wheels (APW)



Agriculture & Forestry

Construction & Mining

Material Handling



XIN JI DA



Agriculture and Forestry

I-PIECE WHEELS

Xin Ji Da manufactures high quality wheels for agriculture and forestry application ranging from 15 inches to 54 inches using high strength steel. We offer different grades according to the required function of the complete wheel.



Applications



Tractors



Forestry Machines



Golf Club Cars



Harvesters



Forestry Tractors



Gardening Mowers



Agriculture and Forestry

Diameter	Rim Size	Tyre Size	Diameter	Rim Size	Tyre Size
15	4.00E×15	5.00-15	28	DW20×28	23.1-28
16	3.00D×16	4.00-16		W15×28	16.9-28
	4.00E×16	5.00-16	W12×30	13.6-30	
	4.50E×16	6.50-16	W14×30	16.9-30	
	5.50F×16	7.50-16	W15×30	16.9-30	
	W8×16	9.50-16	W16×30	18.4-30	
	W11C×16.1	13.6-16.1	DW16×30	18.4-30	
	W14C×16.1	16.9-16.1	DW16L×30	18.4-30	
	W16C×16.1	18.4-16.1	DW20×30	23.1-30	
17	W18C×16.1	20.8-16.1	32	W8×32	9.5-32
	8.25×16.5	10.0-16.5		W10×32	11.2-32
	9.75×16.5	12.0-16.5		W11×32	12.4-32
	16.0×17	18.4-17		DW20×32	23.1-32
18	W9×18	11.2-18	34	DW27×32	30.5-32
	11×18	12.0-18		W15×34	16.9-34
20	5.50F×20	7.50-20	36	DW15×34	16.9-34
	W7×20	8.3-20		W11×36	12.4-36
	W8×20	9.5-20	38	W10×38	11.2-38
	DW10×20	11.2-20		W11×38	12.4-38
	W11×20	12.4-20		W12×38	13.6-38
	DT13-20	14.0-20		DW12×38	16.9-38
13.00×20	16/70-20	W14×38		13.6-38	
W7×22	8.3-22	DW20×38		23.1-38	
24	W7×24	8.3-24	42	DW23×38	26L-38
	W8×24	9.5-24		DW27B×38	30.5-38
	W10×24	11.2-24		W14×38	15.5-38
	W12×24	13.6-24		W15×38	16.9-38
	W13×24	14.9-24	46	W16×38	18.4-38
	W14A×24	15.0-24		W18×38	20.8-38
	DT14-24	15.0-24		W15×42	16.9-42
	W15×24	16.9-24		W16×42	18.4-42
26	DW15×24	16.9-24	48	DW16×42	18.4-42
	W11×26	12.4-26		W18×42	20.8-42
	W12×26	13.6-26		DW20×42	23.1-42
	W13×26	14.9-26	54	DW25×42	28.0-42
	W15×26	16.9-26		W7×48	8.3-48
	W16×26	18.4-26		W8×48	9.5-48
28	DW25×26	28.0-26	48	W10×48	11.2-48
	W10×28	11.2-28		W13×48	14.9-48
	W11×28	12.4-28		54	W10×54
	W12×28	13.6-28	W11×54		12.4-54
	W13×28	14.9-28			
DW18×28	20.8-28				



Commercial Bus | Truck | Trailer



STEEL/ALUMINUM WHEELS

Xin Ji Da produces high quality rims ranging from 15 inches to 24 inches for commercial use, such as in buses, trucks and trailers. The wheels are specially designed to improve energy efficiency and reduce tyre temperatures when travelling across long distances..



TYRE ASSEMBLY

Xin Ji Da offering full range of TBR tyres assembly together with quality rim we produced.

Applications



Buses



Oil Tankers Trucks



Trailers



Commercial Bus | Truck | Trailer

Wheel Configuration	Diameter	Rim Size	Tyre Size	
1PCS	17.5	5.25x17.5	7R17.5	
		6x17.5	8R17.5	
		6.75x17.5	215/75R17.5	
			9R17.5	
			225/75R17.5	
			235/75R17.5	
	19.5	6.75x19.5	9R19.5	
			225/75R19.5	
			235/75R19.5	
		7.50x19.5	10R19.5	
			245/70R19.5	
			255/70R19.5	
	22.5	6.75x22.5	11R19.5	
			8R22.5	
		7.50x22.5	9R22.5	
			225/75R22.5	
			235/75R22.5	
			10R22.5	
		8.25x22.5	245/70R22.5	
			255/70R22.5	
			11R22.5	
			275/80R22.5	
			285/80R22.5	
			12R22.5	
9.00x22.5		295/80R22.5		
		315/80R22.5		
	9.75x22.5	13R22.5		
	11.75x22.5	12R22.5		
15	5.50F-15	385/65R22.5		
		7.00-15		
	6.50-15	8.25-15		
		5.50F-16	7.00-16	
	16	6.00G-16	7.50-16	
			8.25-16	
		6.50-16	6.00G-20	
			7.50-20	
			20	6.50-20
				8.25-20
7.00T-20				9.00-20
7.50V-20				10.00-20
8.00V-20	11.00-20			
8.50-20	12.00-20			
24	8.75-20	12.00-20		
		9.00-20		
	8.50-24	13.00-20		
		12.00-24		



Construction and Mining



SINGLE & MULTI-PIECE WHEELS

Xin Ji Da manufactures high quality single and multi-piece wheels ranging from 16 inches to 63 inches for heavy-duty construction and mining. Suitable for tubeless and tube tyre types, the wheels are specially designed to provide a reliable and robust solution for use in rough terrains.

Wheel Configurations



5 PIECES
Heavy Duty application



4 Pieces
Heavy Duty application



3 Pieces
Standard application



2 Pieces
Light application



Limpet or Loc Wheel
Standard or Light application

Applications



Backhoes



Mining Trucks



Construction Equipment

XIN JI DA



Construction and Mining

Wheel Configuration	Diameter	Rim Size	Tyre Size	Wheel Configuration	Diameter	Rim Size	Tyre Size	
1PCS	16.5	8.25x16.5	10.0-16.5	3PCS	25	25-17.00/2.0	20.5-25	
		9.75x16.5	12.0-16.5			25-19.50/2.5	23.5-25	
	17.5	10.5x17.5	14.0-17.5			25-22.00/3.0	26.5-25	
		9x18	12.5/80-18			25-25.00/3.5	29.5-25	
	18	11x18	13.0/65-18			29	29-14.00/1.7	17.5-29
	24	DW16x24	19.5L-24			25	25-10.00/1.5	14.00-25
26	DW20x26	23.1-26	25-11.25/2.0	16.00-25				
	DW25x26	28.0-26	25-14.00/1.5	17.50-25				
28	DW14x28	16.9-28	25-13.00/2.5	18.00-25				
			25-15.00/3.0	21.00-25				
25-19.50/2.5	23.50-25							
2PCS	20	20-8.50/1.7	12.00-20	4PCS	29	25-22.00/3.0	26.50-25	
		20-10.00/1.7	14.00-20			29-17.00/3.5	24.00-29	
		20-11.00/1.7	15.00-20			29-24.00/3.0	776/65R29	
		20-14.00/1.7	18.00-20			29-25.00/3.5	29.5-29	
3PCS	16.5	15-9.75/1.37	12.0-16.5	33	33	33-13.00/2.5	18.00-33	
		20-13.00/1.0	16/70-20			33-28.00/3.5	35/65-33	
	20	20-15.00/1.0	500/70-508	35	35	35-15.00/3.0	21.00-35	
		20-13.00/1.5	16/70-20			35-17.00/3.5	20.50-35	
		20-8.00/2.0	12.00-20			35-22.00/3.5	26.50-35	
		20-10.00/2.0	14.00-20			45	45-36.00/4.5	45/65R45
		20-8.50/1.7	12.00-20				49	49-17.00/4.0
		20-10.00/1.7	14.00-20			49-19.50/4.0		27.00-49 or 27.00R49
	20-11.25/1.7	16.00-20	51	51-22.00/4.5	30.00-51 or 30.00R51			
	21	21-18.00/1.5		24.00-21	51-24.00/5.0	33.00-51 or 33.00R51		
	24	23	23-18.00/2.0	24.00-23	57	57	51-26.00/5.0	36.00-51 or 36.00R51
			24	24-8.00/1.7			13.00-24	57-27.00/6.0
		24-8.50/1.7		12.00-24			57-29.00/6.0	40.00-57 or 40.00R57
		24-10.00/1.7		14.00-24			57-32.00/6.0	46/90R57
24-16.00/1.7		54x21-24		57-36.00/6.0			49.5-57 or 50/80R57	
25		25	25-10.00/1.5	14.00-25			57-40.00/6.0	52/80R57
			25-14.00/1.5	17.5-25			57-44.00/6.0	52/90R57
			25-36.00/1.5	66x43-25			57-47.00/6.0	60/80R57
	25-9.50/1.7		1400R25	63-36.00/5.0	53/80R63			
25-17.00/1.7	20.50-25	5PCS or 7PCS	63	63	63-44.00/5.0	59/80R63		
	25-36.00/1.7				66X43-25			
25-14.00/2.0	17.5-25							




Ground Support Aerospace | Port | Land



CASTED WHEELS

Xin Ji Da manufactures high quality casted wheels ranging from 7 inches to 30 inches in diameter. Available in casting method of production, our casted wheels offer a safe and reliable solution.



FABRICATED WHEELS


Xin Ji Da manufactures high quality fabricated wheels ranging from 7 inches to 30 inches in diameter. Available in fabrication method of production, our fabricated wheels are ideal for various ground support uses.



WHEEL & TYRE ASSEMBLY

Xin Ji Da offers complete wheel and tyre assembly solution up to 30 inches in diameter. They are popular for ground support applications such as boom lifts, scissors lifts and passenger boarding bridges.

Applications



Boom Lifts



Scissors Lifts



Passenger Boarding Bridges

XIN JI DA




Ground Support Aerospace | Port | Land



Boom Lifts



Scissors Lifts



Passenger Boarding Bridges

Wheel Sizes

- 445/D50/710
- 445/65 D22.5
- 385/65 D22.5
- 355/55 D625
- IN385/65 D19.5
- 315/55 D20
- 18 - 625
- 14 – 17.5
- 12 – 16.5
- 10- 16.5
- 9 – 14.5

Wheel Sizes

- 10 x 3
- 12 x 3
- 12 x 4
- 12 x 4.5
- 12.5 x 4.25
- 12 x 4 x 8
- 13.5 x 4
- 14 x 4.5
- 15 x 5
- 15 x 5 x 11
- 16 x 5
- 16 x 5 x 12
- 22 x 6 x 17.75
- 22 x 7 x 17.75
- 323 x 100
- 406 x 125

Wheel Sizes

- 22 x 14 x 16
- 40 x 14 x 16
- 28 x 10 x 22
- 28 x 12 x 22
- 28 x 16 x 22
- 36 x 16 x 30
- 40 x 16 x 30
- 40 x 20 x 30




Material Handling



2-PIECE WHEELS

Xin Ji Da manufactures high quality 2-piece wheels ranging from 10 inches to 20 inches. Suitable for light duty material handling applications



3-PIECE WHEELS

Xin Ji Da manufactures high quality 2-piece wheels ranging from 8 inches to 24 inches. Suitable for medium duty material handling applications



4-PIECE WHEELS

Xin Ji Da manufactures high quality 2-piece wheels ranging from 8 inches to 15 inches. Suitable for heavy duty material handling applications

Tyre Assembly & Wheel Configurations



2 Pieces
Light application



3 Pieces
Standard application



4 Pieces
Heavy Duty application

Applications



Indoor Forklifts



Telehandlers



Outdoor Forklifts



Material Handling

Wheel Configuration	Diameter	Wheel Size	Tyre Size
2PCS	10	5.00F-10	6.50-10
		6.50F-10	23×9-10
	12	5.00S-12	7.00-12
		8.00G-12	23×10-10
	15	4.50-15	6.00-15
		5.50F-15	7.00-15
		6.00GS-15	7.50-15
		6.50-15	8.25-15
		7.00T-15	28×9-15
		7.50V-15	250-15
		8.00V-15	300-15
	9.75-15	14.00-15	
	16	5.50F-16	6.50-16
		6.00G-16	7.50-16
6.25-16		9.00-16	
7.25-16		9.00-16	
10.25-16		14.00-16	
20	6.50-20	8.25-20	
	7.50-20	10.00-20	
3PCS	8	3.00D-8	4.00-8
		4.33R-8	18×7-8
	9	4.00E-09	6.00-9
		6.00E-09	7.50-9
	12	5.00S-12	7.00-12
	16	7.25-16	9.00-16
	20	7.00-20	9.00-20
		8.00-20	11.00-20
		8.50-20	12.00-20
		10.00-20	14.00-20
	24	12.20-20	17.5-20
		8.50-24	12.00-24
10.00-24		14.00-24	
11.75-24		16.00-24	
4PCS	8	3.00D-8	4.00-8
		4.00E-09	6.00-9
	9	6.00E-09	7.50-9
		5.00F-10	6.50-10
	10	6.50F-10	23×9-10
		5.00S-12	7.00-12
	12	6.50G-12	7.50-12
		8.00G-12	23×10-10
	15	5.50-15	6.50-15
		6.00-15	7.50-15
		6.50-15	8.25-15
7.00-15		250-15	
7.50-15		250-15	
8.00-15		300-15	
9.75-15		28×12.5-15	



Material Handling



SPLIT WHEELS

Xin Ji Da offers split wheels ranging from 6 inches to 12 inches for small to medium duty material handling. The wheels are designed for various types of cured-on tyres and preferred as a cost effective solution.

Wheel Configuration	Diameter	Wheel Sizes	Tyre Sizes
Split Wheels	6	3.00-6	4.00-6
		2.50C-8	2.00-8
	8	3.00D-8	4.00-8
		3.50D-8	4.00-8
			5.00-8
		3.75A-8	4.00-8
			5.00-8
		4.33R-8	16x6-8
		18x7-8	
	9	4.00E-09	6.00-09
	10	5.00F-10	6.50-10
	12	5.00S-12	7.00-12

Applications



Rough Terrain Forklifts



Telehandlers



Indoor Forklifts



Material Handling



PRESS-ON-BANDS/ STEEL BANDS

Xin Ji Da offers the largest range of Steel Bands which are made of steel strips rolled and welded together. Available from 75mm to 760mm, the steel bands are used to produce press-on-bands wheels for material handling applications such as forklifts.

No.	Wheel Size (inch)	Thickness (mm)	Min Diameter (mm)	Max Diameter (mm)	No.	Wheel Size (inch)	Thickness (mm)	Min Diameter (mm)	Max Diameter (mm)
1	4×4	6 or 8	101.016	101.422	41	7×12 1/8	8 or 10	307.137	307.543
2	4.5×4.5	6 or 8	-	-	42	8×12 1/8	8 or 10	307.137	307.543
3	4×5	6 or 8	126.289	126.695	43	9×12 1/8	8 or 10	307.137	307.543
4	5×5	6 or 8	126.289	126.695	44	5×14	10 or 12	354.762	355.168
5	2.5×6	8	151.689	152.095	45	6×14	10 or 12	354.762	355.168
6	3.5×6	8	151.689	152.095	46	7×14	10 or 12	354.762	355.168
7	3×6 1/4	8	158.039	158.445	47	9×14	10 or 12	354.762	355.168
8	4×6 1/4	8	158.039	158.445	48	12×14	10 or 12	354.762	355.168
9	5×6 1/4	8	158.039	158.445	49	5×15	10 or 12	379.933	380.34
10	6×6 1/4	8	158.039	158.445	50	6×15	10 or 12	379.933	380.34
11	7×6 1/4	8	158.039	158.445	51	7×15	10 or 12	379.933	380.34
12	3×6 1/2	8	164.389	164.795	52	8×15	10 or 12	379.933	380.34
13	4×6 1/2	8	164.389	164.795	53	9×15	10 or 12	379.933	380.34
14	4 3/4×6 1/2	8	164.389	164.795	54	12×15	10 or 12	379.933	380.34
15	5×6 1/2	8	164.389	164.795	55	5×16	10 or 12	405.333	405.74
16	2.5×8	8	202.489	202.895	56	6×16	10 or 12	405.333	405.74
17	3×8	8	202.489	202.895	57	7×16	10 or 12	405.333	405.74
18	3.5×8	8	202.489	202.895	58	8×16	10 or 12	405.333	405.74
19	4×8	8	202.489	202.895	59	9×16	10 or 12	405.333	405.74
20	4.5×8	8	202.489	202.895	60	10×16	10 or 12	405.333	405.74
21	5×8	8	202.489	202.895	61	12×16	10 or 12	405.333	405.74
22	5.5×8	8	202.489	202.895	62	14×16	10 or 12	405.333	405.74
23	6.5×8	8	202.489	202.895	63	16×16	10 or 12	405.333	405.74
24	5×10	8	253.162	253.568	64	6×17 3/4	10 or 12	449.783	450.19
25	5.5×10	8	253.162	253.568	65	7×17 3/4	10 or 12	449.783	450.19
26	6×10	8	253.162	253.568	66	8×17 3/4	10 or 12	449.783	450.19
27	5×10 1/2	8	265.862	266.268	67	9×17 3/4	10 or 12	449.783	450.19
28	6×10 1/2	8	265.862	266.268	68	10×17 3/4	10 or 12	449.783	450.19
29	7×10 1/2	8	265.862	266.268	69	12×17 3/4	10 or 12	449.783	450.19
30	3×11 1/4	8 or 10	284.912	285.318	70	14×17 3/4	10 or 12	449.783	450.19
31	3.5×11 1/4	8 or 10	284.912	285.318	71	5×20	10 or 12	506.679	507.086
32	4×11 1/4	8 or 10	284.912	285.318	72	10×22	10 or 12	557.479	557.886
33	5×11 1/4	8 or 10	284.912	285.318	73	12×22	10 or 12	557.479	557.886
34	6×11 1/4	8 or 10	284.912	285.318	74	14×22	10 or 12	557.479	557.886
35	7×11 1/4	8 or 10	284.912	285.318	75	15×22	10 or 12	557.479	557.886
36	8×11 1/4	8 or 10	284.912	285.318	76	16×22	10 or 12	557.479	557.886
37	9×11 1/4	8 or 10	284.912	285.318	77	10×30	10 or 12	760.146	760.552
38	3.5×12 1/8	8 or 10	307.137	307.543	78	12×30	10 or 12	760.146	760.552
39	5×12 1/8	8 or 10	307.137	307.543	79	14×30	10 or 12	760.146	760.552
40	6×12 1/8	8 or 10	307.137	307.543	80	16×30	10 or 12	760.146	760.552



Rim Components

Xin Ji Da offers customization of various rim components such as lock ring, side ring, bead seat and gutter for different purposes and according to your needs.



LOCK RING

No.	Part No.	Cross section
1	LR15T	
2	LR20T	
3	LR21T	
4	LR24T	
5	LR25T	
6	LR28T	
7	LR20WIA	
8	LR20WI	
9	LR23EM	
10	LR24WI	
11	LR24WIA	
12	LR25EM(Φ 598.4)	
13	LR25EMA(Φ 604)	
14	LR25EMB(Φ 600)	
15	LR27EM	
16	LR29EM	
17	LR33EM	
18	LR34EM	
19	LR35EM	
20	LR25EV	
21	LR29EV	
22	LR33EV	
23	LR35EV	
24	LR49EV	
25	LR51HD	
26	LR57HD	
27	LR63HD	



SIDE RING

No.	Part No.	Cross section
1	SR152512T	
2	SR202512EM	
3	SR252516EM	
4	SR302516EM	
5	SR352516EM	
6	SR152512	
7	SR252716	
8	SR352916	
9	SR253316	
10	SR303316	
11	SR353316	
12	SR153412	
13	SR303516	
14	SR353516	
15	SR404922	



Rim Components



BEAD SEAT

No.	Part No.	Cross section
1	BS25EMS01	
2	BS25EMS01N	
3	BS33EMS01	
4	BS25EML01	
5	BS25EML01N	
6	BS29EML01	
7	BS35EML01	
8	BS33EVL02	
9	BS35EVL02	
10	BS49EVL02	
11	BB25EMS01	
12	BB33EMS01	
13	BB25EML01	
14	BB29EML01	
15	BB35EML01	



GUTTER

No.	Part No.	Cross section
1	GB15TTLB	
2	GB20TTLA	
3	GB20TTLB	
4	GB20TLO5P	
5	GB20TT	
6	GB20TTL05	
7	GB21TTL05	
8	GB21TTL05P	
9	GB24TTL05	
10	GB24TTL05P	
11	GB25TTL05	
12	GB25TTL05P	
13	GB28TTL05	
14	GB28TTL05P	
15	GB24TTL04	
16	GB24TTL04P	
17	GB25TTL04	
18	GB25TTL04P	

No.	Part No.	Cross section
19	GB25EMTL01	
20	GB25EMTL01N	
21	GB25EMTL01P	
22	GB25EMTL01AP (φ613)	
23	GB25EMTL03	
24	GB25EMTL03N	
25	GB25EMTL03B (φ604.4)	
26	GB25EMTL03P	
27	GB25EMTL03BP	
28	GB29EMTL03	
29	GB29EMTL03P	
30	GB33EMTL03	
31	GB33EMTL03P	
32	GB33EMTL07	
33	GB33EMTL07P	
34	GB35EMTL07	
35	GB35EMTL07P	
36	GB23EMTL	
37	GB25EMTL01L1	
38	GB25EMTL01L2	
39	GB25EMTL01L3	
40	GB25EMTL	
41	GB27EMTL	
42	GB33EMTL	
43	GB34EMTL	
44	GB35EMTL	
45	GB33EVTLO6	
46	GB33EVTLO6P	
47	GB35EVTLO6	
48	GB35EVTLO6P	
49	GB35EVTLO6	
50	GB49EVTLO6	
51	GB49EVTLO6P	
52	GB15QST	
53	GB20ZSTL	
54	GB20ZSTT01A	
55	GB24ZSTL	
56	GB25QSTT01P (φ612)	
57	GB25ZSTT	
58	GB25QSTT	
59	GB20WITT	
60	GB20WIATT	
61	GB20WITL05A	
62	GB24WITL05	
63	GB24WIA	
64	GB24WITT	



METAL BARS



Available as a product of both casting and forging methods of production, Xin Ji Da's metal bars are a major foundation in the entire track system. These provide strength and support throughout the entire track system.

With advanced in-house production facilities and a team of skilled technicians, the final products are made to minimize wear and tear and maximize safety and performance in extreme terrains.

- Methods of production include forging or casting.
- Track size ranges from 150mm to 800mm.

Metal Bar Specifications

Application	Width	Track Size (Width x Pitch)	Teeth	
Construction	150	150 x 70	28 - 40	
	160	160 x 72	30 - 42	
	170	170	180 x 60	30 - 48
			180 x 72	30 - 58
			180 x 72K	30 - 52
	200	200	200 x 72	31 - 58
			200 x 72K	34 - 47
	230	230	230 x 48	60 - 84
			230 x 96A	30 - 48
			231 x 72	36 - 60
	250	250	250 x 48.5Y	72 - 86
			250 x 52.5	64 - 90
			250 x 52.5A	64 - 90
			250 x 72	47 - 57
	280	280	280 x 72	45 - 64
			300	300
	300 x 52.5W	72 - 106		
	300 x 53	76 - 84		
	300 x 72	64 - 76		
	300 x 109N	35 - 46		
300 x 109W	35 - 46			




Your One-Stop Tyre Machinery and Equipment Provider

At Xin Ji Da, we have a wide range of tyre machinery and equipment as well as an extensive global network to find the perfect solution for your tyre manufacturing needs. By upholding high standards of safety, quality and consistency, we are committed to helping you reach your goals as your strategic supply chain manager. Our team of sales and engineering experts are equipped with strong market knowledge and decades of experience to develop tailor-made solutions for you. We aim to always bring you the best value in terms of competitive pricing, efficiency, flexibility and quality through our unparalleled supplier network and operations.



HYDRAULIC PRESS

REFINING MILL



TYRE MOULD

XIN JI DA





XIN JI DA PTE LTD

THE ONE-STOP SOLUTION PROVIDER

RUBBER INGREDIENTS | INDUSTRIAL CHEMICALS | WIRE & FABRIC REINFORCEMENT | LUBRICANT ADDITIVES
INDUSTRIAL WHEELS & RIMS | AERIAL PLATFORM WHEELS | RUBBER TRACK & COMPONENTS |
TYRE MACHINERY & MOULD



Address: 1 Pemimpin Drive, #12-02 Singapore 576151
Phone: +65 6223 3828 Fax: +65 6659 7789
Email: info@xinjida.com.sg Website: www.xinjida.com.sg